IMPORTANT NOTICE TO APPLICANT: Make check for the total Processing Fee Payable to: MIAMI-DADE COUNTY	FOR OFFICIAL USE ONLY:						
Number of Sites : (3)	Agenda Date: 11 18 2010						
FEES: D.R.E.R\$2,500.00	2 2 20 - 1						
Plus \$100.00 over 1 site \$200.00							
AMOUNT FOR TENTATIVES WITHIN MUNICIPALITIES \$2,910.00							
Concurrency Review Fee (*6.00% of Sub-Total) \$174.60	*Not applicable within Municipalities						
WOUNT FOR TENTATIVE OUTSIDE MUNICIPALITIES=> \$3,084.60	<===AMOUNT FOR TENTATIVE WITHIN UNICORPORATED MIAMI-DADE COUNTY						
APPLICATION FOR PLAT OF SUBDIVISION DEVELOPMENT							
Municipality: UNICORPORATED MIAMI-DADE COUNTY Sec.: 10 Twp.: _	55 S. Rge.: 39 E. / Sec.: Twp.: S. Rge.: F.						
Name of Proposed Subdivision: Tamiami Redevlopment							
2. Owner's Name: Leon Tamiami Holdings LLC c/o Benjamin Leon Jr	Phone: 305-631-5933						
Address: 8600 NW 41st Street City: Doral							
Owner's Email Address:							
3. Surveyor's Name: CPH, IncThomas J. Galloway P.S.M.							
Address: 500 W. Fulton Street City: Sanford							
Surveyor's Email Address: tgalloway@cphcorp.com	21p 00de. 9277						
4. Folio No(s).: 30-5910-000-0153 / 30-5910-000-0152	/ 30-5910-000-0153						
5. Legal Description of Parent Tract: See attached survey							
6. Street boundaries: NW Corner of SW 137th Avenue & SW 120th St	reet						
7. Present Zoning: BU-1A Zoning Hearing No.:_							
8. Proposed use of Property:							
Single Family Res.(Units), Duplex(Units), Apartments(Business(_6,119	Sq. Ft. & No. Seats 28) Other (Sq. Et. & No. of Units						
The 903 sq it is for outdoor seating with 28 seats. The interior of th	e building is used for retail purposes.						
NOTE: Attach list of all plat restrictions zoning conditions or any other declarations, restrictions, covenants that might affect this Tentative Plat I HEREBY CERTIFY that I am the owner of the parcel(s) described in Item 5 and that the information contained in this application is true and correct to the best of my knowledge and belief. If applicable, attached is a list of all the restrictions/restrictive covenants and declarations in favor of Miami-Dade Couty. Attached is a copy of the recorded deed showing my acquisition of this land. In addition, I agree to furnish additional items as may be necessary such as abstract or opinion of itle to determine accurate ownership information.							
Furthermore. I am aware that the use of a public water supply and/or public sewer system may be re	oquired for this development. If an armited I						
by D.R.E.R	prior to the approval of the final plat.						
Pursuant to Florida Statutes 837.06, whoever knowingly makes a false statement in writing w shall be guilty of a misdemeanor of the second degree, punishable as provided in FS. 775.0	ith the intent to mislead a public servant in the performance of his or her duty 182 or FS. 775.083.						
STATE OF FLORIDA)	X						
SS: Signature of COUNTY OF MIAMI-DADE)							
	Benjamin Leon, Jr./Owner						
BEFORE ME, personally appeared BINJamin Lens Jr.	this $\frac{26^{14}}{6}$ day of $\frac{000000}{100000000000000000000000000000$						
acknowledged to and before me that (he/she) executed the same for as identification and who did (not) to	the purposed therein. Personally known or produce like an oath.						
WITNESS my hand and seal in the County and State last aforesaid this 28th day of 000081							
Signature of	Notary Public: & Debil News						
ISABEL PEREZ MY COMMISSION # EE864775 (Print, T)	rpe name here: ISABU PICLE						
EXPIRES: March 24, 2017	MANCH 24, 2017. EE 864775						
(NOTARY SEAL)	(Commission Expires) (Commission Number)						
Note: The reverse side of this sheet may be used for a statement of additional	items you may wish considered.						

Tentative Plat Information: 1. PROPERTY IS ZONED BU-1A 2. ACCORDING TO MIAMI-DADE COUNTY FLOOD CRITERIA RECORDED IN PLAT BOOK 120, PAGE 13, THE SUBJECT PROPERTY LIES BETWEEN THE 8.20' AND 8.25' CONTOUR LINES (NGVD '29). 3. HAVING CONSULTED THE NATIONAL FLOOD INSURANCE PROGRAM, FLOOD INSURANCE RATE MAP FIRM) COMMUNITY PANEL NO. 120635-0441-L REVISED DATE SEPTEMBER 11, 2009, THE SUBJECT PROPÉRTY APPEARS TO LIE IN ZONE AH, WHICH ARE SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100 YEAR FLOOD WITH BASE FLOOD ELEVATIONS DEPICTED AS 9 FEET (NGVD '29), THIS DETERMINATION WAS BASED ON A GRAPHIC INTERPOLATION OF SAID MAP AND NOT ON ACTUAL FIELD PROPOSED SUBDIVISION NAME: TAMIAMI RETAIL 8. PROPOSING 8 PUMPS WITH 16 FUELING STATIONS **Tentative Plat Note:** PROPOSED DEVELOPMENT: OFFICE BUILDING DEVELOPMENT-Wawa DEVELOPMENT-6.200 +/- SQUARE FEET 6,119 +/- SQUARE FEET RETAIL STORE OF WHICH 903 +/- SQUARE FEET OF OUTDOOR SEATING WITH 28 SEATS ALDI DEVELOPMENT-18,098 +/- SQUARE FEET AS DISCUSSED WITH COUNTY STAFF, THE SPECIFIC USE OF ANY TUTURE DEVELOPMENT IS UNKNOWN AT THE PRESENT TIME; HOWEVER, THE USE WILL BE CONSIDERED AN ALLOWABLE USE BASED ON THE ZONING CLASSIFICATION.

SCHEDULE B-SECTION II PER FIDELITY NATIONAL TITLE INSURANCE COMPANY TITLE COMMITMENT ORDER NO. 5608926 EFFECTIVE DATE JANUARY 04, 2016 AT 11:00 P.M.

7.) COVENANT RECORDED IN OFFICIAL RECORDS BOOK 13685, PAGE 2954, AMENDED BY PARTIAL RELEASE OF COVENANT RECORDED IN OFFICIAL RECORDS BOOK 17214, PAGE 1671, OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA. (BLANKET IN NATURE AFFECTS SUBJECT

(8.) AGREEMENT FOR THE CONSTRUCTION OF WATER AND SANITARY SEWAGE FACILITIES AND FOR THE PROVISION OF WATER AND SEWAGE DISPOSAL SERVICES RECORDED IN OFFICIAL RECORDS BOOK 13685, PAGE 2957, OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA. (BLANKET IN NATURE-AFFECTS SUBJECT PARCEL)

9. DECLARATION OF RESTRICTIVE COVENANTS IN LIEU OF UNITY OF TITLE RECORDED IN OFFICIAL RECORDS BOOK 19024, PAGE 4284, OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA. (BLANKET IN NATURE-AFFECTS SUBJECT PARCEL) (10) EASEMENT AND OPERATING AGREEMENT RECORDED IN OFFICIAL RECORDS BOOK 19024, PAGE 4293, OF THE PUBLIC RECORDS OF

MIAMI-DADE COUNTY, FLORIDA. (BLANKET IN NATURE-AFFECTS SUBJECT PARCEL) (11) RESOLUTION CZAB11-39-99 RECORDED IN OFFICIAL RECORDS BOOK 19178, PAGE 1734, OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY,

FLORIDA. (BLANKET IN NATURE-AFFECTS SUBJECT PARCEL) 12 COVENANTS, CONDITIONS AND RESTRICTIONS RECORDED NOVEMBER 1, 1999, IN OFFICIAL RECORDS BOOK 18842, PAGE 4294, AMENDED BY RELEASE RECORDED IN OFFICIAL RECORDS BOOK 21428, PAGE 1155, OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA. (BLANKET

COVENANTS, CONDITIONS AND RESTRICTIONS RECORDED AUGUST 22, 2007, IN OFFICIAL RECORDS BOOK 25875, PAGE 2680, OF THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA. (BLANKET IN NATURE-AFFECTS SUBJECT PARCEL)

N & D

- MANHOLE

MILES PER HOUR

- NOT APPLICABLE

- NATURAL GROUND

NAIL AND DISK

NON—TANGENT

NOT TO SCALE

OUTSIDE DIAMETER

OFFICIAL RECORDS

- NON-RADIAL

NUMBER

- PLAT

- PAGES

- PLAT BOOK

METAL POWER POLE

- NORTH AMERICAN DATUM

- NATIONAL GEODETIC SURVEY

PROFESSIONAL SURVEYORS

OFFICIAL RECORDS BOOK

OVERHEAD UTILITY LINES OVERHEAD TRAFFIC LINES

- POINT OF CURVATURE

- POINT OF COMPOUND CURVATURE

- PERMANENT CONTROL POINT

PROPOSED FINISHED FLOOR

- POINT OF INTERSECTION

POST INDICATOR VALVE

POINT OF COMMENCEMENT

POINT OF REVERSE CURVATURE

- PARKER KAYLON

POINT ON LINE

POWER POLE

PAVEMENT

RECOVERED

- RADIUS POINT

- RADIUS POINT

- SECTION 10

- STATE PLANE

WORK PROGRAM

- WATER VALVE

WOOD POST FENCE

- WOOD POWER POLE

SO FT - SQUARE FEET

- RIGHT-OF-WAY

- REVISION

R/W

- POINT OF BEGINNING

- POINT OF TANGENCY

- RANGE 39 EAST

- POLYVINYL CHLORIDE PIPE

- REINFORCED CONCRETE PIPE

- REGISTERED LAND SURVEYOR

RECLAIMED WATER METER

SANITARY SEWER MANHOLE

SPECIAL EASEMENT

- NATIONAL SOCIETY OF

- NORTH AMERICAN VERTICAL DATUM

IN NATURE-AFFECTS SUBJECT PARCEL)

AIR CONDITIONER

- AIR RELEASE VALVE

- BACK FLOW PREVENTER

BUILDING SETBACK LINE

- CABLE TELEVISION RISER

- CONCRETE BLOCK STRUCTURE

CERTIFIED CORNER RECORD

BARBED WIRE FENCE

APPROXIMATI

- BEARING BASIS

- AVFNUF

BUILDING

BOULEVARD

BENCH MARK

BACK OF CURE

BACK OF WALK

- CHORD BEARING

- CURB & GUTTER

- CHAIN LINK FENCE

CONCRETE MONUMENT

- CORRUGATED METAL PIPE

- CORRUGATED PLASTIC PIPE

DIAMETER AT BREAST HEIGHT IN INCHES

- FLORIDA DEPARTMENT OF TRANSPORTATION

- DRAINAGE AND UTILITY EASEMENT

UNDERGROUND ELECTRICAL LINES

- COUNTY UTILITY EASEMENT

- CROSSWALK SIGNAL

DRAINAGE EASEMENT

DUCTILE IRON PIPE

ENGINEERING PLAN

FLECTRIC JUNCTION BOX

END OF INFORMATION

EDGE OF PAVEMENT

- FLAT GRATE INLET

- FLORIDA STATUTES

- GRID (STATE PLANE)

FIRE HYDRANT

- GOVERNMENT

- HOG WIRE FENCE

- IRON PIPE & CAP

- IRON REBAR & CAP

- IDENTIFICATION

- INFORMATION

- INVERT

- IRON PIPE

IRON ROD

IRRIGATION

LIGHT POLE

- MEASURED

- MAP BOOK

- ARC LENGTH

GOV'T

IP&C

- FIBERGLASS LIGHT POLE

- FLORIDA POWER AND LIGHT

- UNDERGROUND GAS LINES

GREASE TRAP MANHOLE

- IRRIGATION CONTROL VALVE

- LICENSED BUSINESS NUMBER

MITERED END SECTION

- GROUND PENETRATING RADAR

- HIGH DENSITY POLYETHYLENE PIPE

- CATCH INLET

- CENTERLINE

CLEANOUT

CONCRETE

- DESCRIPTION

- DEED BOOK

DEPARTMENT

ELEVATION

ELLIPTICAL

AVERAGE

AVG


BLDG

AMERICAN CONGRESS ON SURVEYING & MAPPING

- DENOTES SHEET NUMBERING FOR ENGINEERING PLANS

AMERICANS WITH DISABILITIES ACT

AMERICAN LAND TITLE ASSOCIATION



VICINITY MAP

Sign Legend

(R1) ROW NUMBER SIGN (B) — BUS STOP SIGN (DE) — DEAD END SIGN PERMANENT REFERENCE MONUMENT PROFESSIONAL SURVEYOR & MAPPER (DNE) - DO NOT ENTER SIGN (R5-1) (HC) — HANDICAP SIGN (HC) DUAL HANDICAP SIGN (KR) — KEEP RIGHT SIGN (LTO) — LEFT TURN ONLY (ME) - MEDIAN SIGN (ND) - NO DUMPING SIGN

(WW) WRONG WAY SIGN

(Y) VIELD SIGN

UNDERGROUND RECLAIM WATER LINE

- STORM DRAINAGE MANHOLE - SIDEWALK TANGENT BEARING OVERHEAD TRAFFIC SIGNAL LINES - TOE OF SLOPE TELEPHONE RISER - TRANSFORMER TRAFFIC SIGNAL BOX - TRAFFIC SIGNAL SUPPORT POLE - UNDERGROUND CABLE TV LINES - UTILITY EASEMENT UNDERGROUND TELEPHONE LINES (TE) - TRUCK ENTRANCE SIGN - UNDERGROUND WATER LINE (U) - UNKNOWN SIGN - WOOD LIGHT POLE - WATER METER (WL) WEIGHT LIMIT SIGN

(NL) — NO LEFT TURN SIGN (R3-2) (NLI) - NO LITTERING SIGN (NO) - NO OUTLET SIGN (FL) ON PARKING FIRE LANE SIGN (NOR) - NO RIGHT TURN SIGN (R3-1) (NTT) - NO THRU TRAFFIC SIGN (NOT) - NO TRUCKS (R5-2) (NP) - NO PARKING SIGN (1W) $\overline{}$ ONE WAY SIGN (R6-2) (PE) — PEDESTRIAN CROSSING SIGN (RTO) - RIGHT TURN ONLY (SL) - SPEED LIMIT SIGN (ST) - STOP SIGN (R1-1) (SS) - STREET SIGN (TZ) — TOW AWAY ZONE SIGN

= BROKEN LINE --- uc --- = BURIED CABLE --- UCTV --- = BURIED CABLE TELEVISION --- UE --- = BURIED ELECTRIC - UFO - BURIED FIBER OPTICS - ug - BURIED GAS --- URW --- = BURIED RECLAIMED WATER LINE --- SAN --- = BURIED SANITARY LINES --- FM --- = BURIED SANITARY SEWER FORCE MAIN LINE ---- TC ---- = BURIED TRAFFIC CONTROL --- UT --- = BURIED TELEPHONE LINE --- UW --- = BURIED WATER LINES _____ = CENTER LINE R/W — o — o — = CHAIN LINK FENCE ---- = EASEMENT LINES (EXISTING) $-\cdot -\cdot -\cdot -\cdot = EASEMENT LINES (PROPOSED)$ ___ EOW ___ = EDGE OF WATER LINES = EXISTING DRAINAGE PIPES = EXISTING DRAINAGE PIPES (OUTFALL NOT LOCATED) ---- FW ---- = FIRE WATER MAIN LINES - HW - HOT WATER SUPPLY LINES - IRR = IRRIGATION LINES --- OTL --- = OVERHEAD TRAFFIC LINES — OHU — = OVERHEAD UTILITY LINES

Line Legend:

NOT TO SCALE

- - 1 - - = 1 FOOT CONTOURS

- - - - - 5 FOOT CONTOURS

---x---x = BARBED WIRE FENCE

———— = ADJOINER PROPERTY LINES

= RAILROAD TRACKS = RIGHT-OF-WAY LINES = SECTION LINES = STONE WALL LINES ___ TOB ___ = TOP OF BANK LINES ___ TOE ___ = TOE OF SLOPE LINES · TREE LINES ___ TRAV ___ = TRAVERSE LINES ___ UNK ___ = UNKNOWN BURIED LINES ______ = VINYL FENCE ———— = WOOD FENCE ____ = WETLAND LINE

BOUNDARY & TOPOGRAPHIC SURVEY ALSO BEING AN

(ALTA/NSPS LAND TITLE SURVEY)

LEON TAMIAMI HOLDINGS, LLC

TAMIAMI RETAIL LYING IN

SECTION 10-TOWNSHIP 55 SOUTH-RANGE 39 EAST MIAMI-DADE COUNTY, FLORIDA

Legal Description: (PER TITLE COMMITMENT ORDER NO. 5608926)

A PORTION OF THE SOUTHEAST 1/4 OF SECTION 10. TOWNSHIP 55 SOUTH, RANGE 39 EAST, MIAMI-DADE COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS

10 FOR A DISTANCE OF 687.96 FEET TO A POINT; THENCE RUN NORTH 02"24"OO" WEST FOR A DISTANCE OF 35.01 FEET TO THE POINT OF BEGINNING OF A PARCEL OF LAND HEREINAFTER DESCRIBED: THENCE CONTINUE NORTH 02"24'00" WEST FOR 357.28 FEET TO A POINT IN THE MOST SOUTHERLY LINE OF TRACT "A", OF CENTURY BREEZE, ACCORDING TO THE PLAT THEREOF. AS RECORDED IN PLAT BOOK 162 AT PAGE 74, OF THE PUBLIC RECORDS OF MIAMI - DADE COUNTY, FLORIDA, THE SAME BEING THE SOUTH LINE OF THE PLAT OF CENTURY BREEZE; THENCE RUN NORTH 87'36'00" EAST, ALONG SAID SOUTH LINE, FOR A DISTANCE OF 597.86 FEET TO A POINT ON A LINE THAT LIES 90.00 FEET WEST AND PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10; THENCE RUN SOUTH 02'24'00" EAST PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10 FOR A DISTANCE OF 174.00 FFFT TO A POINT; THENCE RUN SOUTH 87'36'00" WEST FOR A DISTANCE OF 79.00 FEET TO A POINT; THENCE RUN NORTH 73'05'00" WEST FOR A DISTANCE OF 50.71 FEET TO A POINT; THENCE RUN SOUTH 87'36'00" WEST FOR A DISTANCE OF 55.00 FEET TO A POINT ON A LINE THAT LIES 271.86 FEET WEST OF AND PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10; THENCE RUN SOUTH 02"24'00" EAST PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10 FOR A DISTANCE OF 192.63 FEET TO A POINT ON A LINE THAT LIES 35.00 FEET NORTH OF AND PARALLEL WITH THE SOUTH LINE OF SAID SECTION 10; THENCE RUN SOUTH 86"34"39" WEST PARALLEL WITH THE SOUTH LINE OF THE SOUTHEAST 1/4 OF SAID

COMMENCE AT THE SOUTHEAST CORNER OF THE SOUTHEAST 1/4 OF SAID SECTION 10; THENCE RUN SOUTH 86'34'39" WEST ALONG THE SOUTH LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10 FOR A DISTANCE OF 271.90 FEET TO A POINT; THENCE RUN NORTH 02'24'00" WEST, ALONG A LINE THAT LIES 271.86 FEET WEST OF AND PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10, FOR A DISTANCE OF 35.01 FEET TO A POINT; THENCE RUN NORTH 86"34" EAST ALONG A LINE WHICH LIES 35.00 FEET NORTH OF AND PARALLEL WITH THE SOUTH LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10 FOR A DISTANCE OF 132.42 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE NORTH 86'34'39" EAST FOR A DISTANCE OF 9.46 FEET TO A POINT ON A LINE THAT LIES 130.00 FEET WEST OF AND PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10; THENCE RUN NORTH 02'24'00" WEST PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10 FOR A DISTANCE OF 5.00 FEET TO A POINT ON A LINE THAT LIES 40.00 FEET NORTH OF AND PARALLEL WITH THE SOUTH LINE OF SAID SECTION 10; THENCE RUN NORTH 86'34'39" EAST PARALLEL WITH THE SOUTH LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10 FOR A DISTANCE OF 0.71 FEET TO A POINT OF CURVATURE OF A CIRCULAR CURVE, CONCAVE TO THE NORTHWEST AND HAVING FOR ITS ELEMENTS A RADIUS OF 40.00 FEET AND CENTRAL ANGLE OF 88'58'39": THENCE RUN NORTHEASTERLY FOR AN ARC DISTANCE OF 62.12 FEET TO A POINT OF TANGENCY WITH A LINE THAT LIES 90.00 FEET WEST OF AND PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10; THENCE RUN NORTH 02'24'00" WEST PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10 FOR A DISTANCE OF 10.27 FEET TO A POINT; THENCE RUN SOUTH 87'36'00" WEST FOR A DISTANCE OF 50.45 FEET TO A POINT; THENCE RUN SOUTH 03'25'21" EAST FOR A DISTANCE OF 55.45 FEET TO THE POINT OF BEGINNING

A PORTION OF THE SOUTHEAST 1/4 OF SECTION 10, TOWNSHIP 55 SOUTH, RANGE 39 EAST, MIAMI-DADE COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCE AT THE SOUTHEAST CORNER OF THE SOUTHEAST 1/4 OF SAID SECTION 10; THENCE RUN SOUTH 86'34'39" WEST ALONG THE SOUTHEAST 1/4 OF SAID SECTION 10 FOR A DISTANCE OF 271.90 FEET TO A POINT; THENCE RUN NORTH 02"24'00" WEST, ALONG A LINE THAT LIES 271.86 FEET WEST OF AND PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10, FOR A DISTANCE OF 35.01 FEET TO THE POINT OF BEGINNING OF A PARCEL OF LAND HEREINAFTER DESCRIBED: THENCE CONTINUE NORTH 02"24"00" WEST, PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10, FOR 192.63 FEET TO A POINT; THENCE RUN NORTH 87'36'00" EAST FOR A DISTANCE OF 55.00 FEET TO A POINT: THENCE RUN SOUTH 73'05'00" EAST FOR A DISTANCE OF 50,71 FEET TO A POINT: THENCE RUN NORTH 87'36'00" EAST FOR A DISTANCE OF 79.00 FEET TO A POINT ON A LINE THAT LIES 90.00 FEET WEST OF AND PARALLEL WITH THE EAST LINE OF THE SOUTH EAST 1/4 OF SAID SECTION 10; THENCE RUN SOUTH 02"24"00" EAST PARALLEL WITH THE EAST LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10 FOR A DISTANCE OF 118.05 FEET TO A POINT: THENCE RUN SOUTH 87'36'00" WEST FOR A DISTANCE OF 50.45 FEET TO A POINT: THENCE RUN SOUTH 03'25'21" EAST FOR A DISTANCE OF 55.45 FEET TO A POINT ON A LINE THAT LIES 35.00 FEET NORTH OF AND PARALLEL WITH THE SOUTH LINE OF SAID SECTION 10; THENCE RUN SOUTH

Reference Material

86'34'39 WEST PARALLEL WITH THE SOUTH LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10 FOR A DISTANCE OF 132.42 FEET TO THE POINT OF BEGINNING.

(G) - GREASE TRAP MANHOLE

- INTERSTATE SYMBOL

□⊕□ - LIGHT POLE (DUAL)

□ - LIGHT POLE (TRIPLE)

- LIGHT POLE (QUAD)

- MONITOR WELLS

NAIL & DISC (AS NOTED)

- PULL BOX (AS NOTED)

- HANDICAP PARKING SPACE

- IRRIGATION CONTROL VALVE

← − GUY ANCHOR

☆ - LIGHT POLE

- MAILBOX

1) FLORIDA DEPARTMENT OF TRANSPORTATION MAINTENANCE MAP FOR STATE ROAD NO. 825, SECTION 87133, DATED 4-15-13.

2) CENTURY BREEZE, AS RECORDED IN PLAT BOOK 162, PAGES 74-1 THROUGH 74-3 AS RECORDED IN THE PUBLIC RECORDS OF MIAMI-DADE COUNTY, FLORIDA.

Symbol Legend:

NOT TO SCALE							
ARV	_	AIR RELEASE VALVE	2	_	PARKING SPACES (2)		
•	_	BORING HOLE LOCATION	3	_	REVISION NUMBER (3)		
14/1	_	BRICK PAVERS	RWM		RECLAIMED WATER METER		
CTV	_	CABLE TV RISER	RWV		RECLAIMED WATER VALVE		
Δ	_	CENTRAL ANGLE			ROOF DRAIN		
34	-	CONCRETE	S		SANITARY SEWER MANHOLE		
CO	-	CLEAN OUT	sv.		SANITARY SEWER VALVE		
	_	CONCRETE MITERED END SECTION	(8.)		SCHEDULE B ITEM NUMBER		
*	-	CONCRETE RIP RAP	•		GROUND LIGHT		
0	-	CONCRETE UTILITY POLE	XXX		SECTION CORNER		
41	-	COUNTY ROAD SYMBOL	×Д×		4" X 4" CM LB #7143		
00	-	DUAL SUPPORT SIGN	•				
E	-	ELECTRICAL MANHOLE	-5		5/8" IR&C LB #7143		
EJB	-	ELECTRICAL JUNCTION BOX			SIGN		
EO	-	ELECTRIC OUTLET	•		SITE BENCH MARK		
E	-	ELECTRIC RISER	(D)		STORM SEWER MANHOLE		
300	-	FIRE HYDRANT	1		STRIPING (DIRECTIONAL)		
1	-	FLOOD LIGHT			TELEPHONE CABLE RISER		
	-	FOUND CONCRETE MONUMENT (AS NOTED) TJB		TELEPHONE MANHOLE		
	_	FOUND IRON PIPE (AS NOTED)	TJB		TELEPHONE JUNCTION BOX		
0	_	FOUND IRON REBAR (AS NOTED)			TEST HOLE		
		FOUND/SET NAIL (AS NOTED)	TSB		TRAFFIC SIGNAL BOX		
8		GARBAGE CAN	WM		TRAFFIC SIGNAL SUPPORT I		
GV SV		GAS VALVE	www.		WATER METER		
		GOPHER TORTOISE HOLE	WS		WATER SERVICE		
		GRATE INLET	WS		WATER SPIGOT		
		OWNE MEET	0	-	WATER SPRINKLER		

- WATER SPRINKLER - WATER VALVE - WELL (U) - UNKNOWN MANHOLE CONCRETE PAVERS - DETECTABLE WARNING AREA □●□ - CONCRETE LIGHT POLE (DUAL) - - CONCRETE LIGHT POLE (TRIPLE) → - CONCRETE LIGHT POLE (QUAD) - UNKNOWN RISER - VENT (AS NOTED)

THIS SURVEY IS NOT VALID WITHOUT SHEETS 1 THROUGH 3 OF 3. 1 - WIRE HEIGHTS (SEE CHART) TITLE BLOCK ABI - - CROSSWALK SIGNAL POLE Eng. = ENGINEERING L.B. = LICENSED BUSINESS O.A. = CERTIFICATE OF AUTHORIZATION Arch.= ARCHITECTURAL Landscp. = LANDSCAPE N/A = NOT APPLICABLE Lic. = LICENSE
No. = NUMBER P.O. = POST OFFICE © = COPYRIGHT

Site Zoning & Building Setbacks

(INFORMATION PROVIDED BY ENGINEER)

FRONT - 20' OR 17' TO CANOPY

MAX BUILDING HEIGHT = 45'

FLOOR AREA RATIO = .4

Parking Table

STANDARD SPACES =

TOTAL SPACES =

ACCESSIBLE HANDICAP SPACES = 3

BUILDING SETBACKS:

SIDE - 15'

REAR - 20'



LOCATION MAP SCALE 1" = 300'

1. COPIES OF THIS SURVEY ARE NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.

2. "ADDITIONS OR DELETIONS TO SURVEY MAPS OR REPORTS BY OTHER THAN THE SIGNING PARTY OR PARTIES IS PROHIBITED WITHOUT WRITTEN CONSENT OF THE SIGNING PARTY OR PARTIES."

3. THE SITE BENCHMARKS FOR THIS TOPOGRAPHIC SURVEY ARE DISPLAYED ON THE RESPECTIVE SURVEY FILE. THESE BENCHMARKS ARE BASED ON A CLOSED VERTICAL CONTROL LOOP HAVING AN ACTUAL ERROR OF CLOSURE OF 0.048' WHICH MEETS THE ALLOWABLE CLOSURE OF 0.051'. THIS FIELDWORK WAS PERFORMED USING A TOPCON HIPER V AND REFERENCES THE FOLLOWING PUBLISHED BENCHMARKS AS ESTABLISHED BY THE (NATIONAL GEODETIC VERTICAL DATUM OF 1929 (NGVD '29) AND SAID ELEVATIONS ARE BASED ON VERTICAL CONTROL BENCHMARKS DOWN LOADED FROM MIAMI-DADE.GOV WHICH ARE AS FOLLOWS:

a) DESIGNATION # H-061-R. ELEVATION = 9.95 FEET (NGVD '29)

b) DESIGNATION # P-614. ELEVATION = 9.00 FEET (NGVD '29)

NOT ON ACTUAL FIELD MEASUREMENTS.

SUBJECT SURVEY WAS A TOPCON GPS HIPER V.

4. THIS SURVEY IS NOT VALID WITHOUT SHEETS 1 THROUGH 3 OF 3.

SITE BENCHMARKS ARE AS SHOWN ON SHEET 3 OF 3.

5. THE LAST DAY FIELD WORK WAS PERFORMED WAS 06/07/16; ALL BOUNDARY CORNERS WERE RECOVERED OR

6. THE "LEGAL DESCRIPTION" HEREON IS IN ACCORD WITH THE TITLE COMMITMENT ORDER NO. 5608926, AND WAS

7. BEARINGS SHOWN HEREON ARE RELATIVE TO THE NORTH RIGHT-OF-WAY LINE OF S.W. 120TH STREET AS BEING

HAVING CONSULTED THE NATIONAL FLOOD INSURANCE PROGRAM, FLOOD INSURANCE RATE MAP (FIRM) COMMUNITY PANEL NO. 120635-0441-L REVISED DATE SEPTEMBER 11, 2009, THE SUBJECT PROPERTY APPEARS TO LIE IN ZONE AH, WHICH ARE SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100 YEAR FLOOD WITH BASE FLOOD ELEVATIONS DEPICTED AS 9 FEET (NGVD '29), THIS DETERMINATION WAS BASED ON A GRAPHIC INTERPOLATION OF SAID MAP AND

9. THE APPARENT USE OF THE LAND, AS CLASSIFIED BY THE STANDARDS OF PRACTICE SET FORTH IN RULE CHAPTER 5J-17 OF THE FLORIDA ADMINISTRATIVE CODE, PURSUANT TO FS 472.027, ESTABLISHES THAT THE MINIMUM RELATIVE ACCURACY FOR THIS TYPE OF BOUNDARY SURVEY MEET THE HORIZONTAL CONTROL ACCURACY OF 1'/10,000 FEET FOR A HIGH RISK SURVEY. THE MEASUREMENTS AND CALCULATIONS OF THE CLOSED GEOMETRIC FIGURES WERE FOUND TO MEET THIS ACCURACY REQUIREMENT. THE EQUIPMENT USED TO VERIFY THE HORIZONTAL CONTROL ON THE

HORIZONTAL WELL-IDENTIFIED FEATURES IN THIS SURVEY AND MAP HAVE BEEN MEASURED TO AN ESTIMATED HORIZONTAL POSITIONAL ACCURACY OF 0.05 (FT). THE EQUIPMENT USED TO LOCATE THE FEATURES WAS A LEICA

11. UNLESS OTHERWISE NOTED, ALL RECORD INFORMATION SHOWN HEREON IS BASED ON INFORMATION CONTAINED IN THE COMMITMENT FOR TITLE INSURANCE BY FIDELITY NATIONAL TITLE INSURANCE COMPANY, COMMITMENT ORDER NO. 5608926, EFFECTIVE DATE JANUARY 04, 2016 AT 11:00 P.M., AND WAS PROVIDED BY THE CLIENT.

12. NO UNDERGROUND UTILITIES, FOUNDATIONS OR IMPROVEMENTS, IF ANY, HAVE BEEN LOCATED EXCEPT AS SHOWN.

13. THIS SURVEY DOES NOT IDENTIFY THE LIMITS OR EXTENT OF POTENTIAL JURISDICTIONAL WETLAND BOUNDARIES.

14. FENCES EXISTING ON, OVER OR ADJACENT TO SUBJECT PROPERTY, ARE DISPLAYED HEREON; OWNERSHIP WHETHER SINGULAR OR JOINT WAS NOT DETERMINED BY THIS SURVEY.

15. VERTICAL FEATURE ACCURACY: "ELEVATIONS OF WELL-IDENTIFIED FEATURES CONTAINED IN THIS SURVEY AND MAP HAVE BEEN MEASURED TO AN ESTIMATED VERTICAL POSITIONAL ACCURACY OF 0.05 (FT)."

16. STATE PLANE INFORMATION SHOWN HEREON IS BASED ON THE NORTH AMERICAN DATUM OF 1983 (1990) USING CONTROL POINTS FROM THE MIAMI-DADE COUNTY GP'S CONTROL NETWORK AND ARE AS FOLLOWS:

a) DESIGNATION # DC26B, = N 473246.5437 FEET, E 849043.0165 FEET

b) DESIGNATION # DC24A, = N 483848.9614 FEET, E 845810.7608 FFFT

THE EQUIPMENT USED TO TRANSFER THE STATE PLANE INFORMATION FROM THE ABOVE REFERENCED CONTROL POINTS TO THE SUBJECT SURVEY WAS A TOPCON GPS HIPER W. BASED UPON A LINE BETWEEN TWO MIAMI-DADE GPS CONTROL POINTS WITH IDENTIFICATION NUMBERS DC24A AND DC26B, SAID LINE BEARING S 16°57'15" E.

17. DIMENSIONS ARE SHOWN RELATIVE TO UNITED STATES STANDARD FEET AND DECIMALS THEREOF, UNLESS THE OBJECT SHOWN IS COMMONLY IDENTIFIED IN INCHES, I.E. TREE DIAMETER, PIPE DIAMETER, ETC. TREES DEPICTED ARE COMMON NAMES AND MEASURED AND LABELED AS DIAMETER AT BREAST HEIGHT IN INCHES.

18. THE UNDERGROUND UTILITIES DEPICTED BY PIPE LINETYPES ARE APPROXIMATE IN NATURE BASED UPON AN

INSPECTION OF THE MANHOLE, GRATE, ETC. OF EACH FACILITY. EXISTING PIPES WERE NOT LAMPED OR REMOTELY VIEWED FOR DIRECTION, OBSTRUCTIONS OR CONNECTIVITY.

19. AT THE TIME OF THIS SURVEY THERE WAS NO OBSERVED EVIDENCE OF RECENT EARTH MOVING WORK, BUILDING CONSTRUCTION, OR BUILDING ADDITIONS.

Index of Sheets

ALTA/NSPS LAND TITLE SURVEY (COVER SHEET) ALTA/NSPS LAND TITLE SURVEY (BOUNDARY SURVEY) ALTA/NSPS LAND TITLE SURVEY (TOPOGRAPHIC SURVEY)

Surveyor's Certification: Certified to: LEON TAMIAMI HOLDINGS, LLC AND FIDELITY NATIONAL TITLE INSURANCE COMPANY

This is to certify that this map or plat and the survey on which it is based were made in accordance with the 2016 Minimum Standard Detail Requirements for ALTA/NSPS Land Title Surveys, jointly established and adopted by ALTA and NSPS, and includes Items 1-5 6(b)(none provided), 7(a) 7(b)(1), 7(c) 8, 9(none), 11(a)(observed evidence only), 13-16 and 18(no visible delineation) of Table A thereof. The field work was completed on June 07, 2016.

I hereby certify that the attached "ALTA/NSPS Land Title Survey" of the hereon-described property is true and correct to the best of my knowledge, information and belief as surveyed in the field on June 07, 2016. I further certify that this "Boundary & Topographic Survey" meets the standards of practice set forth in Rule Chapter 5J-17 of the Florida Administrative Code, pursuant to FS 472.027.

> Thomas J. Galloway, PSM Professional Surveyor and Mapper Florida Registration No. 6549

A Full Service A & E Firm Architects Engineers **Landscape Architects** M/E/P **Planners**

Structural Surveyors **Traffic / Transportation Development Coordination** Offices in: Florida Puerto Rico Connecticut Maryland • Texas

Survey Prepared By: CPH, Inc.

500 West Fulton St. Sanford, Fl. 32771 Ph: 407.322.6841 Licenses: Eng. C.O.A. No. 3215 Survey L.B. No. 7143 Arch. Lic. No. AA2600926 Lndscp. Lic. No. LC0000298

Sheet No.



